This listing of claims will replace all prior versions, and listings, of claims in the application. Please cancel Claims 1-19.

Listing of Claims

Claims 1-19. (cancelled)

20. (new) A polymerization catalyst composition comprising a compound having the formula:

 MR_4

wherein

M is selected from titanium, zirconium or hafnium;

R in each instance is independently selected from a beta-stable ligand; and wherein the compound is supported on an aluminum-containing support comprising fluorided alumina, fluorided silica-alumina, fluorided/silated alumina, aluminophosphate, or mixtures thereof.

21. (new) A polymerization catalyst composition comprising a compound having the formula:

 $M(CH_2XR_3)_4$

wherein

M is selected from titanium, zirconium or hafnium;

X in each instance is independently selected from carbon, silicon, germanium, tin, or lead; and

R in each instance is independently selected from a saturated or unsaturated hydrocarbon; and

Continuation of U.S. Pat. App. Ser. No. 09/964,136

Title: Olefin Polymerization Processes and Products Thereof

Page 4

wherein the compound is supported on an aluminum-containing support comprising

fluorided alumina, fluorided silica-alumina, fluorided/silated alumina, aluminophosphate, or

mixtures thereof.

22. (new) The polymerization catalyst composition of Claim 21, wherein R in

each instance is independently selected from an alkyl radical having from 1 to about 12

carbon atoms, an alicyclic radical having from about 4 to about 12 carbon atoms, an aryl

radical having from 6 to about 24 carbon atoms, and a hydrocarbyl substituted aryl radical

having from about 6 to about 24 carbon atoms.

23. (new) The polymerization catalyst composition of Claim 20, wherein the

aluminum-containing support further comprises silica-alumina, alumina, silated alumina,

aluminum phosphate, phosphated alumina, or mixtures thereof.

24. (new) The polymerization catalyst composition of Claim 20, wherein the

aluminum-containing support further comprises alumina which comprises less than about 6

weight percent silica.

25. (new) The polymerization catalyst composition of Claim 20, wherein the

aluminum-containing support has a surface area greater than or equal to about 150 m²/gram.

26. (new) The polymerization catalyst composition of Claim 20, wherein R in

each instance is independently selected from -CH2C(CH3)3, benzyl, -CH2Si(CH3)3, or 1-

methylene-1-naphthyl.

27. (new) The polymerization catalyst composition of Claim 20, wherein the total

amount of zirconium or hafnium in the catalyst composition is from about 0.01 to about 10

weight percent.

ATLLIB02 135747.2

Continuation of U.S. Pat. App. Ser. No. 09/964,136

Title: Olefin Polymerization Processes and Products Thereof

Page 5

The polymerization catalyst composition of Claim 20, wherein the total

amount of zirconium or hafnium in the catalyst composition is from about 0.1 to about 5

weight percent.

28. (new)

29. (new) The polymerization catalyst composition of Claim 20, wherein the total

amount of zirconium or hafnium in the catalyst composition is from about 0.2 to about 4

weight percent.

30. (new) The polymerization catalyst composition of Claim 20, wherein MR₄ is

selected from zirconium tetrakis(trimethylsilylmethyl), hafnium tetrakis-

(trimethylsilylmethyl), or a combination thereof.

31. (new) The polymerization catalyst composition of Claim 20, wherein MR₄ is

selected from zirconium tetrakis(trimethylsilylmethyl), hafnium tetrakis-

(trimethylsilylmethyl), or a combination thereof; and wherein the aluminum-containing

support is alumina which comprises less than about 6 weight percent silica.

32. (new) The polymerization catalyst composition of Claim 20, wherein the

compound supported on the aluminum-containing support comprises supported catalyst

system particles from about 1 to about 40 microns in size.

33. (new) The polymerization catalyst composition of Claim 20, wherein the

compound supported on the aluminum-containing support comprises supported catalyst

system particles from about 1 to about 20 microns in size.

34. (new) The polymerization catalyst composition of Claim 20, wherein the

polymers produced from the catalyst composition have a weight average (M_w) molecular

weight greater than about 1,000,000.

Continuation of U.S. Pat. App. Ser. No. 09/964,136

Title: Olefin Polymerization Processes and Products Thereof

Page 6

35. (new) The polymerization catalyst composition of Claim 20, wherein the ethylene polymers produced from the catalyst composition have a comonomer incorporation from about 0.05 to about 10 weight percent comonomer.

36. (new) A polymerization catalyst composition comprising a titanium halide; an aluminum alkyl; and an oxide selected from fluorided alumina, fluorided/silated alumina, or a combination thereof; and optionally comprising a magnesium halide.